

Safety Data Sheet

Version 1.3 Revision Date 08/01/2021

1.	PRODUCT AND COMPAN	YIDENTIFICATION
	Product Name	Indium Metal Ingot – Metal Foil
	Chemical Formula	In
	Molecular Weight	114.82 g/mol
	CAS No.	7440-74-6
	RTECS No.	NL1050000
	Supplier Address*	ISOFLEX USA PO Box 29475 San Francisco CA 94129 United States
	Telephone	+1 415-440-4433
	Fax	+1 415-563-4433
	Emergency Phone Number (both supplier and manufacturer)	Infotrac/ +1 800-535-5053 *May include subsidiaries or affiliate companies/divisions
	Email	iusa@isoflex.com
	Website	www.isoflex.com
	Preparation Information	ISOFLEX USA Product Safety +1 415-440-4433

2. HAZARDOUS IDENTIFICATION

Emergency Overview

Harmful if swallowed, in contact with skin or if inhaled

Causes skin irritation

Causes serious eye irritation

May cause respiratory irritation

NFPA Ratings: (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe) Health Hazard = 2 Flammability = 0 Reactivity = 0



HMIS Ratings: (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health Hazard = 2 Flammability = 0 Physical Hazard = 0

HEALTH HAZARD	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

Potential Health Effects

Potential Acute Health Effects	Hazardous in case of ingestion, of inhalation (lung irritant). Slightly hazardous in case of skin contact (irritant), of eye contact (irritant).
Potential Chronic Health Effects	Hazardous in case of ingestion. Slightly hazardous in case of skin contact (irritant), of eye contact (irritant), of inhalation.
Carcinogenic Effects	Not available
Mutagenic Effects	Not available
Teratogenic Effects	Not available
Developmental Toxicity	Proven. The substance is toxic to blood, kidneys, the reproductive system, liver, heart, upper respiratory tract, skin, eyes. Repeated or prolonged exposure to the substance can produce target-organ damage.

3.	COMPOSITION/INFORMATION O	IN INGREDIENTS
	Chemical Name:	Indium
	CAS No.:	7440-74-6
	Chemical Formula:	In
	Molecular Weight:	114.82 g/mol
4.	FIRST AID MEASURES	
	Eye Contact	No known effect on eye contact; rinse with water for a few minutes.
	Skin Contact	After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non- abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.
	Serious Skin Contact	Not available
	Inhalation	Allow the victim to rest in a well-ventilated area. Seek immediate medical attention.
	Serious Inhalation	Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.
	Ingestion	Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.
	Serious Ingestion	Not available

5. FIREFIGHTING MEASURES

Flammability	Flammable
Auto-Ignition Temperature	N/A
Flash Point	N/A
Flammable Limits	N/A
Products of Combustion	N/A
Fire Hazards in Presence of Various Substances	N/A

Explosion Hazards in Presence of Various Substances

Risks of Explosion of the Product in Presence of Mechanical Impact	N/A
Risks of Explosion of the Product in Presence of Static Discharge	N/A
Firefighting Media and Instructions	Flammable solid
Small Fire	Use DRY chemical powder
Large Fire	Use water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.
Special Remarks on Fire Hazards	N/A
Special Remarks on Explosion Hazards	N/A
Firefighting	
Special Hazards	Indium/indium oxides
Advice for Firefighters	Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Pei	rsonal Precautions	Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.
En	vironmental Precautions	Do not let product enter drains.
Me	thods for Cleaning Up	Small Spill: Use appropriate tools to put the spilled solid in a convenient waste disposal container. Large Spill: Flammable solid. Stop leak if without risk. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

7.	HANDLING AND STORAG	E			
	Handling		Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not breathe dust.		
	Storage	cabinet or roo ignition. Keep	om. Keep away from heat o container tightly closed. d all equipment containin	I in a separate safety storage t. Keep away from sources of Keep in a cool, well-ventilated g material. Keep container dry.	
8.	EXPOSURE CONTROLS /	PERSONAL PROTEC	CTION		
	Engineering Controls	controls to ke user operation	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.		
	Personal Protective Equip	oment			
	Eye	Safety glasse	es		
	Body	Lab coat			
	Hand	Gloves			
	Respiratory	Dust respirat equivalent.	or. Be sure to use an app	proved/certified respirator or	
	Personal Protection in Case of a Large Spil	contained bre product. Sug	eathing apparatus should	tor. Boots. Gloves. A self- be used to avoid inhalation of the might not be sufficient; consult a	
	Exposure Limits:				
	TWA	0.1 (mg/m ³) f	rom OSHA (PEL)		
	TWA		rom ACGIH (Consult loca	al authorities for acceptable	
9.	PHYSICAL AND CHEMICAL PROPERTIES				
	Appearance				
	Form Color Odor Taste		Solid Silver Odorless N/A		
	Safety Data				
	Molecular Weight: Boiling Point: Critical Temperature: Vapor Pressure: Volatility: Water/Oil Dist. Coeff.: Dispersion Properties: Solubility:	114.82 g/mol 2000 °C (3632 °F) N/A N/A N/A N/A Is not dispersed in co Insoluble in cold wate		N/A 156.17 °C (313.1 °F) 7.31 (Water = 1) N/A N/A N/A	
	N/A = not available				

10. STABILITY AND REACTIVITY

Stability	Stable
Instability Temperature	N/A
Conditions of Instability	N/A
Incompatible Materials	N/A
Corrosivity	Non-corrosive in presence of glass
Special Remarks on Reactivity	N/A
Special Remarks on Corrosivity	N/A
Polymerization	No.

11.	TOXICOLOGICAL INFORMATION	
	Routes of Entry	Absorbed through skin, eye contact, inhalation, ingestion
	Toxicity to Animals	
	LD50	N/A
	LC50	N/A
	Chronic Effects on Humans	
	Developmental Toxicity	Proven. The substance is toxic to blood, kidneys, the reproductive system, liver, heart, upper respiratory tract, skin, eyes.
	Other Toxic Effects on Humans	Hazardous in case of ingestion, of inhalation (lung irritant). Slightly hazardous in case of skin contact (irritant).
	Special Remarks on Toxicity to Animals	N/A
	Special Remarks on Chronic Effects on Humans	N/A
	Special Remarks on Other Toxic Effects on Humans	N/A

ECOLOGICAL INFORMATION	
Ecotoxicity	N/A
BOD5 and COD	N/A
Products of Biodegradation	Possibly hazardous short-term degradation products are not likely. However, long-term degradation products may arise.
Toxicity of the Products of Biodegradation	The products of degradation are more toxic.
Special Remarks on the Products of Biodegradation	N/A
Toxicity	No data available
Persistence and Degradability	No data available
Bioaccumulative Potential	No data available
Mobility in Soil	No data available
	Ecotoxicity BOD5 and COD Products of Biodegradation Toxicity of the Products of Biodegradation Special Remarks on the Products of Biodegradation Toxicity Persistence and Degradability Bioaccumulative Potential

	Results of PBT and vPvB Assessment	PBT/vPvB assessment not available, as chemical safety assessment not required/not conducted
	Other Adverse Effects	No data available
13.	DISPOSAL CONSIDERATI	ON
	Product	Contact a licensed professional waste disposal service to dispose of this material. Observe all federal, state, and local environmental regulations. Catalysts and expensive metals should be recovered for reuse or recycling
	Contaminated Packaging	Dispose of as unused product.
14.	TRANSPORT INFORMATIO	 DN
	DOT (US)	Not dangerous goods
	IMDG	Not dangerous goods
	ΙΑΤΑ	Not dangerous goods
15.	REGULATORY INFORMAT	TION
	REACH Number	A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.
	SARA 302 Components	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
	SARA 313 Components	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
	SARA 311/312 Hazards	Fire Hazard, Acute Health Hazard, Chronic Health Hazard
	Massachusetts Right to K Components	now Indium / CAS No. 7440-74-6 / Revision Date 1994-04-01
	Pennsylvania Right to Kno Components	ow Indium / CAS No. 7440-74-6 / Revision Date 1994-04-01
	New Jersey Right to Know Components	Indium / CAS No. 7440-74-6 / Revision Date 1994-04-01
	California Prop. 65 Components	This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.
16.	OTHER INFORMATION	
	Prepared By	ISOFLEX USA PO Box 29475 San Francisco CA 94129 United States
	Issuing Date	February 9, 2015
	Revision Date	August 1, 2021
	Revision Date Revision Number	August 1, 2021 2

ISOFLEX USA's Commonly Used Abbreviations and Acronyms*

ACGIH ADR	American Conference of Governmental Industrial Hygienists European Agreement Concerning the International Carriage of Dangerous Goods by
	Road
ALARA	As Low As Is Reasonably Achievable
AMU	Atomic Mass Unit
ANSI	American National Standards Institute
BLS	Basic Life Support
BOD5	Biochemical Oxygen Demand
CAM	Continuous Air Monitor
CAS	Chemical Abstracts Service (division of the American Chemical Society)
CEN CERCLA	European Committee for Standardization
CLP	Comprehensive Environmental Response Compensation and Liability Act Classification, Labelling and Packaging (European Union)
COD	Chemical Oxygen Demand
CPR	Controlled Products Regulations (Canada)
CWA	Clean Water Act (USA)
DAC	Derived Air Concentration (USA)
DOE	United States Department of Energy (USA)
DOT	United States Department of Transportation (USA)
DSL	Domestic Substances List (Canada)
EC50	Half Maximal Effective Concentration
EINECS	European Inventory of Existing Commercial Chemical Substances
EHS	Environmentally Hazardous Substance
ELINCS	European List of Notified Chemical Substances
EMS	Emergency Response Procedures for Ships Carrying Dangerous Goods
EPA	Environmental Protection Agency (USA)
EPCRA	Emergency Planning and Community Right-To-Know Act (EPCRA) of 1986
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System (USA)
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	Intermediate Bulk Containers
	International Civil Aviation Organization
IDLH IMDG	Immediately Dangerous to Life or Health International Maritime Code for Dangerous Goods
LC50	Lethal concentration, 50 percent
LD50	Lethal dose, 50 percent
LDLO	Lethal Dose Low
LOEC	Lowest-Observed-Effective Concentration
MARPOL	International Convention for the Prevention of Pollution from Ships
MSHA	Mine Safety and Health Administration (USA)
NCRP	National Council on Radiation Protection & Measurements (USA)
NDSL	Non-Domestic Substances List (Canada)
NFPA	National Fire Protection Association (USA)
NIOSH	National Institute for Occupational Safety and Health (USA)
NOEC	No Observed Effect Concentration
N.O.S.	Not Otherwise Specified
NRC	Nuclear Regulatory Commission (USA)
NTP	National Toxicology Program (USA)
OSHA	Occupational Safety and Health Administration (USA)
PBT	Persistent Bioaccumulative and Toxic Chemical
PEL	Permissible Exposure Limit
PIH	Poisonous by Inhalation Hazard
RCRA RCT	Resource Conservation and Recovery Act (USA) Radiation Control Technician
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals (Europe)
	המשומים המשומים המשומים המשומים היום הכשומים היום הכשומים המשומים המשומים המשומים המשומים המשומים המשומים המשומ

RID RQ	Regulations Concerning the International Transport of Dangerous Goods by Rail Reportable Quantity
RTECS	Registry of Toxic Effects of Chemical Substances
SARA	Superfund Amendments and Reauthorization Act (USA)
SNUR	Significant New Use Rule (TSCA)
TDG	Transportation of Dangerous Goods (Canada)
TIH	Toxic by Inhalation Hazard
TLV	Threshold Limit Value
TPQ	Threshold Planning Quantity
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
UN	United Nations (Number)
VOC	Volatile Organic Compound
vPvB	Very Persistent Very Bioaccumulative Chemical
WGK	Wassergefährdungsklassen (Germany: Water Hazard Classes)
WHMIS	Workplace Hazardous Materials Information System

*One or more of the above-listed items may not appear in this document.

General Disclaimer

For terms and conditions, including limitation of liability, please refer to the purchase agreement in effect between ISOFLEX USA (or any of its affiliates and subsidiaries) and the purchaser.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ISOFLEX shall not be held liable for any damage resulting from handling or from contact with the above product.