



Version 1.2 Revision Date 07/29/2021

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Thallium

Chemical Formula TI

 Molecular Weight
 204.38 g/mol

 CAS No.
 7440-28-0

 EC No.
 231-138-1

Synonyms Thallium metal
Supplier Address\* ISOFLEX USA
PO Box 29475

San Francisco CA 94129

**United States** 

Telephone +1 415-440-4433 Fax +1 415-563-4433

Emergency Phone Number Infotrac/ +1 800-535-5053

(both supplier and

manufacturer) \*May include subsidiaries or affiliate companies/divisions

Email <u>iusa@isoflex.com</u>
Website <u>www.isoflex.com</u>
Preparation Information ISOFLEX USA

Product Safety +1 415-440-4433

#### 2. HAZARDS IDENTIFICATION

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 2), H300 Acute toxicity, Inhalation (Category 2), H330 Acute aquatic toxicity (Category 3), H402 Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this section, see section 16.

# **GHS Label Elements, Including Precautionary Statements**

Pictogram



Signal Word Danger

**Hazard Statement(s)** 

H300 + H330 Fatal if swallowed or if inhaled

H412 Harmful to aquatic life, with long-lasting effects

# **Precautionary Statement(s)**

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment. P284 Wear respiratory protection.

P301 + 310 + 330 If swallowed: Immediately call a poison center or physician. Rinse mouth.

P304 + 340 + 310 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a poison center or physician.

P403 + 233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container to an approved waste disposal plant.

# Hazards not otherwise classified (HNOC) or not covered by GHS: None

**NFPA Ratings:** (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health Hazard = 4 Flammability = 0 Reactivity = 0



**HMIS Ratings:** (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health Hazard = 4 Flammability = 0 Physical Hazard = 0

	HEALTH HAZARD	4
-	FLAMMABILITY	0
	PHYSICAL HAZARD	0

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name: Thallium

Chemical Formula: TI

Molecular Weight: 204.38 g/mol CAS No.: 7440-28-0 EC No.: 231-138-1

Component	Classification	Concentration
Thallium		
	Acute Toxicity 2 Chronic Aquatic Toxicity 3 H300 + H330, H412	≤100%

For the full text of the H-Statements mentioned in this section, see section 16.

#### 4. FIRST AID MEASURES

Oral Exposure If swallowed, wash out mouth with water, provided person is conscious. Call a

physician immediately. Never give anything by mouth to an unconscious person.

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If Inhalation Exposure

breathing is difficult, give oxygen. Consult a physician.

Eye Exposure Flush eyes with water as a precaution.

Dermal Exposure Wash off with soap and plenty of water. Take victim immediately to hospital.

Consult a physician.

For thallium antidote, see Eur. J. Pharmacol., 6, 340 (1969). Information for Physician

The most important known symptoms and effects are described in sections 2 Most Important Symptoms

and/or 11.

#### 5. FIREFIGHTING MEASURES

Suitable Extinguishing

Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special Hazards Arising

from the Substance

Thallium oxides

Firefighting

Protective Equipment Wear self-contained breathing apparatus if necessary.

#### **ACCIDENTAL RELEASE MEASURES** 6.

Personal Precautions Wear respiratory protection. Avoid dust formation. Avoid breathing dust,

vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to

safe areas.

Environmental Precautions Prevent further leakage or spillage if safe to do so. Do not let product

enter drains. Discharge into the environment must be avoided.

Methods for Containment Pick up and arrange disposal without creating dust. Keep in suitable

closed containers for disposal.

Disposal See section 13.

#### 7. HANDLING AND STORAGE

Handling Avoid contact with skin and eyes. Avoid formation of dust or aerosols.

> Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. For

additional precautions, see section 2.

Keep tightly closed. Store in a cool, dry and well-ventilated place. Storage

Storage class: (TRGS 510) - Non-combustible, acute toxic Category 1

and 2 (very toxic hazardous materials).

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control Parameters**

# **Components with Workplace Control Parameters**

Component	CAS No.	Value	Control Parameters	Basis	
Thallium	7440-28-0	TWA	0.100000 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Alopecia Adopted values or notations enclosed are those for which changes are proposed in the NIC 2010 Revision or addition to the notice of intended changes (see Notice of Intended Changes – NIC) Danger of cutaneous absorption			
		TWA	0.020000 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)	
		Peripheral neuropathy Gastrointestinal damage 2014 Adoption Danger of cutaneous absorption			
		TWA	0.020000 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)	
	50	Peripheral neuropathy Gastrointestinal damage Danger of cutaneous absorption varies			

## **Exposure Controls**

# **Appropriate Engineering Controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# **Personal Protective Equipment**

# **Eye/Face Protection**

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

### **Skin Protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory Protection**

Where risk assessment shows air-purifying respirators are appropriate, use a full-face particle respirator type N100 (US) or type P3 (EN 143) as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### **Control of Environmental Exposure**

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Appearance**

Physical State Solid

Form Powder or ingot
Color Silver/gray
Odor No data available

## Safety Data

Odor Threshold: N/A Molecular Weight: 204.38 g/mol pH: N/A Boiling Point: 1457 °C (2655 °F) Vapor Pressure: N/A Melting/Freezing Point: 303 °C (577 °F)

Vapor Density: Saturated Vapor Concentration: N/A N/A SG/Density: **Bulk Density:** N/A N/A Volatile%: Solubility: N/A N/A VOC Content: Water Content: N/A N/A Solvent Content: **Evaporation Rate:** N/A N/A Surface Tension: N/A Viscosity: N/A Partition Coefficient: **Decomposition Temperature:** N/A N/A Flash Point: **Explosion Limits:** N/A N/A Flammability: **Autoignition Temperature:** N/A N/A

Refractive Index: N/A = not available

# 10. STABILITY AND REACTIVITY

Reactivity No data available

N/A

Chemical Stability Stable under recommended storage conditions

**Optical Rotation:** 

N/A

Possibility of No data available

Hazardous Reactions

Conditions to Avoid Air-sensitive

Incompatible Materials Strong acids, strong oxidizing agents

Hazardous Decomposition Other decomposition products: No data available.

Products In the event of fire: See section 5.

# 11. TOXICOLOGICAL INFORMATION

#### Information on Toxicological Effects

Acute ToxicityNo data availableDermal ToxicityNo data availableSkin Corrosion/IrritationNo data availableSerious Eye Damage/IrritationNo data availableRespiratory or Skin SensitizationNo data available

Carcinogenicity

IARC No component of this product present at levels greater than or equal to

0.1% is identified as a probable, possible or confirmed human

carcinogen by IARC.

ACGIH No component of this product present at levels greater than or equal to

0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP No component of this product present at levels greater than or equal to

0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA No component of this product present at levels greater than or equal to

0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive Toxicity Possible risk of congenital malformation in the fetus

Specific Target Organ Toxicity / Single Exposure No data available

Specific Target Organ

No data available

Toxicity / Repeated Exposure

No data available

Additional Information

Aspiration Hazard

RTECS: XG3425000

The most characteristic symptom of thallium exposure is *alopecia* (loss of hair). Cutaneous effects may include dry, scaly skin and impairment of nail growth, often resulting in the appearance of crescent-shaped strips across fingernails and toenails ("Mees' line"). Other symptoms in acute poisoning relate chiefly to the gastrointestinal tract, nervous system, skin, eyes and cardiovascular system. Acute poisoning results in swelling of the feet and legs, arthralgia, vomiting, insomnia, hyperesthesia and paresthesia of the hands and feet, mental confusion, polyneuritis with severe pain in the legs and loins, partial paralysis of the legs, angina-like pains, nephritis, wasting and weakness, lymphocytosis and eosinophilia. In chronic poisoning, central and peripheral nervous system abnormalities may persist: ataxia, tremor, incoordination, paralysis of extremities, endocrine disorders, memory loss and psychoses may develop. To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated.

# 12. ECOLOGICAL INFORMATION

Toxicity to fish LC50 – Cyprinodon variegatus (sheepshead minnow) – 21.0 mg/l – 96 h

Mortality NOEC - Cyprinodon variegatus (sheepshead minnow) - 14.0

mg/l – 96 h

Persistence and Degradability

No data available

Bioaccumulative Potential No data available

Mobility in Soil

No data available

Results of PBT/

PBT/vPvB assessment not available; chemical safety assessment and

vPvB Assessment not required/not conducted

unprofessional handling or disposal. Harmful to aquatic life.

### 13. DISPOSAL CONSIDERATIONS

Product Offer surplus and non-recyclable solutions to a licensed disposal

company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental

regulations.

Contaminated Packaging Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

Proper Shipping Name Toxic solid, inorganic, n.o.s. (Thallium)

UN No. 3288
Class 6.1
Packing Group II

Reportable Quantity (RQ) 1000 lbs
Poison Inhalation Hazard No

**IATA** 

Proper Shipping Name Toxic solid, inorganic, n.o.s. (Thallium)

UN No. 3288
Class 6.1
Packing Group

**IMDG** 

Proper Shipping Name TOXIC SOLID, INORGANIC, N.O.S. (Thallium)

UN No.
Class
Packing Group

3288
6.1
II

EMS No. F-A, S-A

# 15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of

SARA Title III, Section 302.

SARA 311/312 Hazards Acute Health Hazard, Chronic Health Hazard

SARA 313 Components The following components are subject to reporting levels established by

SARA Title III, Section 313: Thallium (CAS No. 7440-28-0, Revision

Date 2007-07-01).

Massachusetts Right Thallium / CAS No. 7440-28-0 / Revision Date 2007-07-01 to Know Components

Pennsylvania Right Thallium / CAS No. 7440-28-0 / Revision Date 2007-07-01 to Know Components

New Jersey Right Thallium / CAS No. 7440-28-0 / Revision Date 2007-07-01 to Know Components

California Prop. 65 This product does not contain any chemicals known to the State of

California to cause cancer, birth defects, or any other reproductive harm.

#### 16. OTHER INFORMATION

### Full Text of H-Statements Referred to under Sections 2 and 3

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity Chronic aquatic toxicity Aguatic Chronic H300 Fatal if swallowed

H300 + H330 Fatal if swallowed or if inhaled

Harmful to aquatic life, with long-lasting effects H412

Prepared By **ISOFLEX USA** 

PO Box 29475

San Francisco CA 94129

**United States** 

Issuing Date December 17, 2014

Revision Date July 29, 2021

Revision Number

Revision Note Required review and updates

## ISOFLEX USA's Commonly Used Abbreviations and Acronyms\*

**ACGIH** American Conference of Governmental Industrial Hygienists

ADR European Agreement Concerning the International Carriage of Dangerous Goods by Road

Australian Inventory of Chemical Substances **AICS** 

ALARA As Low As Is Reasonably Achievable

AMU Atomic Mass Unit

ANSI American National Standards Institute

BLS Basic Life Support

BOD5 Biochemical Oxygen Demand

CAM Continuous Air Monitor

CAS Chemical Abstracts Service (division of the American Chemical Society)

European Committee for Standardization CEN

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

Classification, Labelling and Packaging (European Union) CLP

Chemical Oxygen Demand COD

CPR Controlled Products Regulations (Canada)

CWA Clean Water Act (USA)

Derived Air Concentration (USA) DAC

DOE United States Department of Energy (USA)

DOT United States Department of Transportation (USA)

Domestic Substances List (Canada) DSL EC50 Half Maximal Effective Concentration

Korean Existing Chemicals List ECL

European Inventory of Existing Commercial Chemical Substances **EINECS** 

Environmentally Hazardous Substance **EHS** 

European List of Notified Chemical Substances **ELINCS** 

Emergency Response Procedures for Ships Carrying Dangerous Goods **EMS** 

Environmental Protection Agency (USA) EPA

Emergency Planning and Community Right-To-Know Act (EPCRA) of 1986 **EPCRA** 

GHS Globally Harmonized System

**HMIS** Hazardous Materials Identification System (USA) **IARC** International Agency for Research on Cancer

IATA International Air Transport Association

**IBC** Intermediate Bulk Containers

**ICAO** International Civil Aviation Organization **IDLH** Immediately Dangerous to Life or Health IECSC Inventory of Existing Chemical Substances Produced or Imported in China

IMDG International Maritime Code for Dangerous Goods

LC50 Lethal concentration, 50 percent

LD50 Lethal dose, 50 percent

LDLO Lethal Dose Low

LOEC Lowest-Observed-Effective Concentration

MARPOL International Convention for the Prevention of Pollution from Ships

MSHA Mine Safety and Health Administration (USA)

NCRP National Council on Radiation Protection & Measurements (USA)

NDSL Non-Domestic Substances List (Canada)
NFPA National Fire Protection Association (USA)

NIOSH National Institute for Occupational Safety and Health (USA)

NOEC No Observed Effect Concentration

N.O.S. Not Otherwise Specified

NRC Nuclear Regulatory Commission (USA)
NTP National Toxicology Program (USA)

OSHA Occupational Safety and Health Administration (USA)
PBT Persistent Bioaccumulative and Toxic Chemical

PEL Permissible Exposure Limit

PICCS Philippines Inventory of Chemicals and Chemical Substances

PIH Poisonous by Inhalation Hazard

RCRA Resource Conservation and Recovery Act (USA)

RCT Radiation Control Technician

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (Europe)
RID Regulations Concerning the International Transport of Dangerous Goods by Rail

RQ Reportable Quantity

RTECS Registry of Toxic Effects of Chemical Substances
SARA Superfund Amendments and Reauthorization Act (USA)

SNUR Significant New Use Rule (TSCA)

TDG Transportation of Dangerous Goods (Canada)

TIH Toxic by Inhalation Hazard
TLV Threshold Limit Value
TPQ Threshold Planning Quantity
TSCA Toxic Substances Control Act
TWA Time Weighted Average
UN United Nations (Number)
VOC Volatile Organic Compound

vPvB Very Persistent Very Bioaccumulative Chemical

WGK Wassergefährdungsklassen (Germany: Water Hazard Classes)

WHMIS Workplace Hazardous Materials Information System \*One or more of the above-listed items may not appear in this document.

#### **General Disclaimer**

For terms and conditions, including limitation of liability, please refer to the purchase agreement in effect between ISOFLEX USA (or any of its affiliates and subsidiaries) and the purchaser.

# DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. ISOFLEX shall not be held liable for any damage resulting from handling or from contact with the above product.